

# Treatment of depression via interactive media: A program for NASA

James A. Cartreine, PhD

16 October 2009

# Research Team

James A. Cartreine, PhD

Harvard Medical School

Mark T. Hegel, PhD

Dartmouth Medical School

Jay C. Buckey, MD

Astronaut/Dartmouth Medical School

Steven E. Locke, MD

Harvard Medical School



Harvard Medical School



This work was supported by the NSBRI through NASA NCC 9-58.




# Life on the International Space Station





















# Some requirements...

- Modular
- Updateable
- Secure
- Evidence-based
- Self-directed
- Brief
- Useable
- Credible
- Ethical
- Relevant
- Interrelated
- Engaging



QUIT



# Depression Treatment Demo

# Pilot Study

## Participants:

- Similar to astronauts
  - Mean age 50 (SD = 9)
  - 4+ years college
- Minor depression (2 – 4 depression criteria)
- No other treatment
- R/O Substance Abuse; Antisocial PD
- N=14



Collaborating study:

Massachusetts General Hospital Study  
(2008 - 2012) PI: Gary Strangman, PhD

- Infrared and MRI brain imaging of depression patients
- Revise depression treatment
- Randomized controlled clinical trial:  
Self-treatment vs. antidepressants

# Participant Retention

- Experimental:
  - 0 dropouts, but 2 lapsed for >3 week interval between session 3 and 4
  - 0 no-shows for PST sessions
- Waitlist control:
  - 1 dropout (6 completers)



# Study Setting



# Pretreatment Depression

	Hamilton Depression Inventory
Experimental	M = 15.61 SD = 9.64
Control	M = 18.71 SD = 6.65

$t = -0.700$

$p \leq 0.50$

# Posttreatment: Hamilton Depression Inventory

	Pre HDI	Post HDI	% Chg.
Experimental (5 completers)	M = 15.12 SD = 11.32	M = 5.68 SD = 3.06	M=52.65 SD=28.28
Experimental (7 completers)	M = 15.61 SD = 9.64	M = 8.81 SD = 5.9	M=35.86 SD=40.16
Control (6 completers)	M = 18.71 SD = 6.65	M = 17.78 SD = 7.52	M=11.12 SD=18.70



# First Follow-up: Percent Change on Hamilton Depression Inventory (Wilcoxon test for pre-post % Change)

% change Exper (N = 5) vs. % change Control (N = 6)	$p \leq .0285$	$d = 1.73$ $r = .65$
% change Exper (N = 7) vs. % change Control (N=6)	$p \leq .2531$	n/a

(p based on Kruskal – Wallis Chi Square)

Thank you

clinical trial website: [BIDstudy.org](http://BIDstudy.org)

[jcart@caregroup.harvard.edu](mailto:jcart@caregroup.harvard.edu)